

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 160.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 12, 2008

Proof of completion of work shall be filed on or before:

May 12, 2008

Water must be placed to beneficial use on or before:

April 12, 2011

Proof of the application of water to beneficial use shall be filed on or before:

May 12, 2011

Map in support of proof of beneficial use shall be filed on or before:


May 12, 2011

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 12th day of April, A.D. 2006


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office FEB 07 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed FEB 07 2005 under 72207

The applicant **HOME CAMP LAND AND LIVESTOCK CO., INC.** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. **INCORPORATED IN NEVADA ON DECEMBER 15, 1936**

1. The source of the proposed appropriation is **UNDERGROUND**
2. The amount of water applied for is **4.00** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **IRRIGATION**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **320.0**
 - (b)
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 26, T.39- $\frac{1}{2}$ N., R.21E., M.D.B.&M., OR AT A POINT FROM WHICH THE SOUTHWEST CORNER OF SAID SECTION 26 BEARS S. 58° 54' W. A DISTANCE OF 1156.20 FEET.**
6. Place of Use **SECTION 23, T.39- $\frac{1}{2}$ N., R.21E., M.D.B.&M.**
SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$ - 80.0 ACRES
SECTION 26, T.39- $\frac{1}{2}$ N., R.21E., M.D.B.&M
SW $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ - 200.0 ACRES
SECTION 27, T.39- $\frac{1}{2}$ N., R.21E., M.D.B.&M.
SE $\frac{1}{4}$ SE $\frac{1}{4}$ - 40.0 ACRES TOTAL - 320.0 ACRES. APN 066-180-05
7. Use will begin about **JANUARY 1** and end about **DECEMBER 31** of each year.
8. Description of proposed works **DRILLED AND EQUIPPED WELL WILL DELIVER WATER TO IRRIGATION SYSTEMS LOCATED WITHIN THE PROPOSED PLACE OF USE.**
9. Estimated cost of works **\$50,000**
10. Estimated time required to construct works **THREE YEARS**
11. Estimated time required to complete the application of water to beneficial use **TEN YEARS**

72207

12. Remarks:

By s/ Robert E Firth
ROBERT E. FIRTH
360 E. RIVERVIEW CIRCLE
RENO, NV 89509

Compared gkl/sam lt/ gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 72207 and 72208 shall not exceed 1280 acre-feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 4.0 cubic feet per second, but not to exceed 1280.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 12, 2008

Proof of completion of work shall be filed on or before:

May 12, 2008

Water must be placed to beneficial use on or before:

April 12, 2011

Proof of the application of water to beneficial use shall be filed on or before:

May 12, 2011

Map in support of proof of beneficial use shall be filed on or before:

May 12, 2011

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 12th day of April, A.D. 2006


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____